

# THE GOLDEN WAX DIFFERENCE

## BOTANICAL WAX SOLUTIONS

Brought to you by AAK,  
The Co-Development Company

Non-toxic,  
Biodegradable,  
Sustainably Sourced  
and non-GMO  
Options

### CREATING SPECIALIZED FORMULATIONS FOR YOUR SPECIFIC REQUIREMENTS, WITH

- value-adding natural plant-based wax solutions
- botanical waxes including soy, palm, cottonseed and coconut
- no need to modify standard candle making equipment
- flaked products for easier handling
- wax knowledge, expertise and complex blending capabilities
- co-development of innovative new products at our WaxWorks Lab

**Dedicated to sustainability and responsible growth**

GOLDEN  WAX

**AAK USA Inc.**  
499 Thornall Street, 5th Floor  
Edison, NJ 08837  
T: 973-344-1300 | F: 732-516-9040  
Email: goldenwax@aak.com

**AAK**

# 100% SOY CONTAINER WAX

## GOLDEN WAX™ 444

### GENERAL USE GUIDELINES

- MELTING TEMPERATURE: 175°F (+/-5°F)
- POUR TEMPERATURE: 135°F (+/-10°F)
- FRAGRANCE LOAD: 5-10%
- COOLING: ambient temperature (70-75°F)
- WAX MELTING POINT: 119-125°F

### BENEFITS

may be used alone—no need for paraffin  
or other non plant-based waxes

offers bloom/frost reduction

single pour

Non-toxic,  
Biodegradable,  
and Sustainably  
Sourced

