

Safety Data Sheet as per Globally Harmonized System (GHS)

Galsoft SCI 85 (N)

Version No. 1 Date of revision: August 5, 2020

1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

GHS Product identifier

Trade Name : Galsoft SCI 85 (N)

Chemical identity of ingredients that contribute to classification : Sodium Cocoyl Isethionate

Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Ingredient in Personal and Home care products

Supplier's details : Galaxy Surfactants Limited
C-49/2, TTC Industrial Area
Pawne, Navi Mumbai, 400703, India
Tel: +91-22-27616666/+91-22-39135500
e-mail: galaxy@galaxysurfactants.com

Emergency phone number : For product information: +91-9867673376 / +91-9867613368
(Language: English)
For Incident (Spill, Leak, Fire, Exposure, or Accident)
CHEMTREC (Day or Night): +1 703-741-5970 / 1-800-424-9300

2. HAZARD IDENTIFICATION

Classification of the substance or mixture:

Eye irritation Category 2A; H319

Acute aquatic toxicity Category 2; H401

Chronic aquatic toxicity Category 3; H412

GHS label elements, including precautionary statements

Hazard pictogram:



Signal word: Warning

Hazard statement(s)

H319: Causes serious eye irritation.

H401: Toxic to aquatic life.

Safety Data Sheet as per Globally Harmonized System (GHS)

Galsoft SCI 85 (N)

Version No. 1 Date of revision: August 5, 2020

H412: Harmful to aquatic life with long lasting effects.

Precautionary statement(s):

P264: Wash hands thoroughly after handling.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

P501: Dispose off contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification : Not known

3. COMPOSITION/INFORMATION ON INGREDIENTS

INCI/Chemical name	Synonyms	CAS Number	EC Number	% Concentration
Sodium Cocoyl Isethionate	Sodium 2-(cocoyloxy)ethanesulfonate; Fatty acids, coco, 2-sulfoethyl esters, sodium salts	61789-32-0	263-052-5	≥ 85
BHT	2,6-di-tert-butyl-p-cresol; 2,6-di-tert-butyl-4-methylphenol	128-37-0	204-881-4	< 0.1

4. FIRST- AID MEASURES

Description of necessary first-aid measures

Inhalation	: Remove to fresh air. Seek medical attention, if necessary
Skin contact	: Wash with soap and water for at least 15 minutes. Seek medical advice, if necessary
Eye contact	: Flush with water for at least 15 minutes under running water with eyelids held open. Consult the doctor, if necessary
Ingestion	: Immediately rinse mouth and then drink water (two glasses at most). If feeling unwell, after accidental swallowing, consult the doctor
Most important symptoms/effects, acute and delayed	
Skin contact	: Slightly irritant

Safety Data Sheet as per Globally Harmonized System (GHS)

Galsoft SCI 85 (N)

Version No. 1 Date of revision: August 5, 2020

Eye contact : Causes serious eye irritation

Indication of immediate medical attention and special treatment needed, if necessary

Treatment : Treat symptomatically

5. FIRE- FIGHTING MEASURES

Suitable extinguishing media : Dry chemical powder, carbon dioxide, water spray, foam

Unsuitable extinguishing media : Do not use high volume water jet, which may spread fire

Specific hazards arising from the chemical : Development of hazardous combustion products like oxides of carbon and sulfur possible in the event of fire

Special protective equipment and precautions for fire-fighters : Wear personal protective equipment and self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Wash hands after exposure with the product. Avoid breathing dust. Avoid contact with skin, eyes and clothing

Environmental precautions : Do not discharge into drains, surface water or ground water

Methods and materials for containment and cleaning up : Collect in suitable and properly labeled container. Avoid dust formation. Dispose off collected material in accordance with regulations

7. HANDLING AND STORAGE

Precautions for safe handling : Follow general occupational hygiene such as, wash hands after use. Do not use hooks for handling bags. Multiple handling may lead to the formation of fine powder which may cause dusting during usage. Use personal protective equipment while charging the material. To avoid dusting, keep minimum distance between bag and the hopper. Use proper dust collection system to avoid particle contamination in the production area. Follow safe procedures for loading and un-loading of product

Conditions for safe storage, including any incompatibilities : Store the material in a clean, dry place at below 45°C away from direct heat and sunlight. Keep the bags tightly closed. Soft, easily breakable agglomerates may be formed on storage. Once the bag is opened, consume the product within a week. In original sealed condition, when stored as suggested the shelf life of the

Safety Data Sheet as per Globally Harmonized System (GHS)

Galsoft SCI 85 (N)

Version No. 1 Date of revision: August 5, 2020

Singapore	-	10	-	-
South Korea	-	2	-	-
Spain	-	10	-	-
Switzerland	-	10 Inhalable aerosol	-	-
USA - NIOSH	-	10	-	-
United Kingdom	-	10	-	-

(Source: Based on GESTIS International Limit values Database via:
https://limitvalue.ifa.dguv.de/WebForm_ueliste2.aspx, as on date: 05.08.2020)

Biological limit values	: No data available
Appropriate engineering controls	: Proper plant design, technical measures and working operations should minimize human exposure
Individual protection measures, such as personal protective equipment (PPE)	: Eye/face protection: Safety goggles Skin protection: Apron, rubber gloves and shoes Respiratory protection : Dust mask required when dust is generated

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	
Physical state	: Needles
Colour	: Off-white to pale yellow
Odour	: Fatty
Odour threshold	: No data available
pH (5% in distilled water)	: 5.0 - 7.0 at 25°C
Melting point	: ≥ 200°C
Initial boiling point and boiling range	: > 300°C (product will decompose)
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: Not flammable
Upper/lower flammability or explosive limits	: Not applicable
Vapour pressure	: No data available
Vapour density	: No data available
Bulk density	: 580 - 640 g/l

Safety Data Sheet as per Globally Harmonized System (GHS)

Galsoft SCI 85 (N)

Version No. 1 Date of revision: August 5, 2020

Solubility(ies)	: Moderately soluble in water (100 - 1000 mg/l) (5% solution is milky at room temperature)
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: Did not show self-heating up to 400°C, indicates that substance does not have self-ignition temperature (data of Sodium Cocoyl Isethionate)
Decomposition temperature	: > 300°C
Viscosity	: Not applicable

10. STABILITY AND REACTIVITY

Reactivity	: No hazardous reactions, if stored and handled as prescribed (Refer Section 7)
Chemical stability	: Stable under normal ambient and anticipated storage and handling conditions of temperature and pressure
Possibility of hazardous reactions	: Not anticipated when used or handled as prescribed
Conditions to avoid	: Sunlight, heat, flame and other sources of ignition
Incompatible materials	: Do not subject to acids, alkali and oxidizing agents
Hazardous decomposition products	: Will not form, if stored or handled as prescribed

11. TOXICOLOGICAL INFORMATION

Toxicological information of Sodium Cocoyl Isethionate

Acute oral toxicity (Rat)	: LD ₅₀ : > 2000 mg/kg bw (OECD Guideline 401)
Acute dermal toxicity	: No data available
Acute inhalation toxicity	: No data available
Skin corrosion/irritation (Rabbit)	: Not classified. Slightly irritant (Equivalent or similar to OECD Guideline 404)
Serious eye damage/irritation (Rabbit)	: Irritating (OECD Guideline 405)
Respiratory or skin sensitization (Guinea pig)	: Not sensitizing (EU Method B.6 / OECD Guideline 406)

Safety Data Sheet as per Globally Harmonized System (GHS)

Galsoft SCI 85 (N)

Version No. 1 Date of revision: August 5, 2020

Germ cell mutagenicity

Mammalian cell gene mutation assay (In vitro) : Negative
(OECD Guideline 476)

Bacterial reverse mutation assay (In vitro) : Negative
(Equivalent or similar to OECD Guideline 471)

In vitro mammalian chromosome aberration test : Negative
(Equivalent or similar to OECD Guideline 473)

Carcinogenicity : No data available. Carcinogenicity not expected

Reproductive toxicity : Not classified
Toxicity to reproduction (Rat): NOAEL: 1000 mg/kg bw/day
(OECD Guideline 421)
Read-across approach
Developmental toxicity/maternal toxicity (Rat):
NOEL: 1000 mg/kg bw/day
(OECD Guideline 414)
Read-across approach

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified
Repeated dose toxicity: oral (Rat):
NOAEL: \geq 1000 mg/kg bw/day
(Equivalent or similar to OECD Guideline 407)
Repeated dose toxicity: dermal (Rat):
NOAEL: \geq 2070 mg/kg bw/day
(OECD Guideline 410)

Aspiration hazard : Not classified

Toxicological information of BHT

Acute oral toxicity (Rat) : LD₅₀: > 6000 mg/kg bw (male/female)
(OECD Guideline 401)

Acute dermal toxicity (Rat) : LD₅₀: > 2000 mg/kg bw (male/female)
(OECD Guideline 402)

Acute inhalation toxicity (Mouse) : RD₅₀ (30 min): about 546 mg/m³
(Other: Sensory irritation study of BHT)

Skin corrosion/irritation (Rabbit) : Not irritating
(OECD Guideline 404)

Safety Data Sheet as per Globally Harmonized System (GHS)

Galsoft SCI 85 (N)

Version No. 1 Date of revision: August 5, 2020

Serious eye damage/irritation (Rabbit)	: Not irritating (OECD Guideline 405)
Respiratory or skin sensitization	: No sensitization
Germ cell mutagenicity	
Bacterial reverse mutation assay (in vitro)	: Negative
In-vitro mammalian chromosome aberration test	: Negative
Chromosome aberration assay (in vivo)	: Negative
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified Maternal toxicity (Rat): NOAEL: 93.5 mg/kg bw/day Developmental toxicity (Rat): NOAEL: 375 mg/kg bw/day (Equivalent or similar to OECD Guideline 414)
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Information on the likely routes of exposure	: Dermal, inhalation and oral
Symptoms related to the physical, chemical and toxicological characteristics	: Skin contact: Slightly irritant Eye contact: Causes eye irritation
Delayed and immediate effects and also chronic effects from short and long term exposure	: Short term exposure: Not known Long term exposure: Not known

12. ECOLOGICAL INFORMATION

Ecological information of Sodium Cocoyl Isethionate

Short-term toxicity to fish	: Oncorhynchus mykiss LC ₅₀ (96 h): > 25 mg/l (Equivalent or similar to OECD Guideline 203)
Long-term toxicity to fish	: No data available
Short-term toxicity to aquatic invertebrates	: Daphnia magna EC ₅₀ (48 h): > 32 mg/l NOEC (48 h): ≥ 32 mg/l (OECD Guideline 202)
Long-term toxicity to aquatic invertebrates	: No data available

Safety Data Sheet as per Globally Harmonized System (GHS)

Galsoft SCI 85 (N)

Version No. 1 Date of revision: August 5, 2020

Toxicity to aquatic algae	: Pseudokirchneriella subcapitata EC ₅₀ (72 h): ≥ 1.87 mg/l NOEC (72 h): ≥ 0.31 mg/l (OECD Guideline 201) Read-across approach
Persistence and degradability	: Readily biodegradable; 78% after 28 days (O ₂ consumption) OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)
Bioaccumulative potential	: BCF: 58 (calculated using the BCFBAF 3.0 submodule of Epiwin 4.1.) Log P _{ow} : - 0.41, a low potential for bioaccumulation is expected
Mobility in soil	: Adsorption co-efficient: K _{oc} : 1451 l/kg (OECD Guideline 106 / Equivalent or similar to EPA OPPTS 835.1110 (Activated Sludge Sorption Isotherm)) Read-across approach
Other adverse effects	: No data available
Ecological information of BHT	
Short-term toxicity to fish	: LC ₅₀ (96 h): 0.199 mg/l (QSAR method)
Long-term toxicity to fish	: Oryzias latipes NOEC (30 d): 0.053 mg/l (OECD Guideline 210)
Short-term toxicity to aquatic invertebrates	: Daphnia magna EC ₅₀ (48 h): 0.48 mg/l (OECD Guideline 202 / EU Method C.2)
Long-term toxicity to aquatic invertebrates	: Daphnia magna NOEC (21 d): 0.069 mg/l (OECD Guideline 211)
Toxicity to aquatic algae	: EC ₅₀ (96 h): 0.758 mg/l (QSAR method) Pseudokirchneriella subcapitata EC ₅₀ (72 h): > 0.24 mg/l (based on growth rate) NOEC (72 h): 0.24 mg/l (based on growth rate) (OECD Guideline 201)
Persistence and degradability	: Not readily biodegradable; 4.5% BOD/ThOD after 28 days (Equivalent or similar to OECD Guideline 301 C)
Bioaccumulative potential	: BCF: 598.4 (EPI-Suite, BCFWIN v2.17)

Safety Data Sheet as per Globally Harmonized System (GHS)

Galsoft SCI 85 (N)

Version No. 1 Date of revision: August 5, 2020

Mobility in soil : Adsorption coefficient: K_{oc} : 23030
(EPI-Suite, EPA (USA) / PCKOCWIN v1.66)

Adsorption coefficient: K_{oc} : 14750
(QSAR estimation: KOCWIN v2.00: K_{oc} estimate from MCI)
BHT is expected to adsorb to the solid soil phase

Other adverse effects : No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods : Dispose off contents/container in accordance with local/regional/
national/international regulations

14. TRANSPORT INFORMATION

Land transport

ADR/RID : Not classified as dangerous goods as per transport regulation
UN Number : Not applicable
UN proper shipping name : Not applicable
Transport hazard class(es) : Not applicable
Packing group : Not applicable
Environmental hazards : Not applicable

Inland water ways transport

ADN : Not classified as dangerous goods as per transport regulation
UN Number : Not applicable
UN proper shipping name : Not applicable
Transport hazard class(es) : Not applicable
Packing group : Not applicable
Environmental hazards : Not applicable

Sea transport

IMDG code : Not classified as dangerous goods as per transport regulation
UN Number : Not applicable
UN proper shipping name : Not applicable
Transport hazard class(es) : Not applicable
Packing group : Not applicable
Marine pollutant : Not applicable

Air transport

ICAO-TI/IATA-DGR : Not classified as dangerous goods as per transport regulation
UN Number : Not applicable
UN proper shipping name : Not applicable
