Page 1 (11)

Issue date: 04/06/2022 Version: 2 (04/05/2022)

Shay & Company
NATURAL INGREDIENT SUPPLIER

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: SUGARED SPRUCE 99154

Version: 2

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: SUGARED SPRUCE

Other identifiers: 99154

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Company name: Shay and Company
Company address: 10639 SE Fuller Rd
Milwaukie, OR 97222

Contact: Customer Service

E-Mail address: orders@shayandcompany.com

Company phone: 503-653-1155

1.4 Emergency telephone number

Emergency phone: 503-653-1155

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Class and category of Flammable Liquid, Hazard Category 4 danger:

Skin Corrosion / Irritation Category 2

Sensitization - Skin Category 1 Aspiration Hazard Category 1

Hazardous to the Aquatic Environment - Acute Hazard Category 1
Hazardous to the Aquatic Environment - Long-term Hazard Category 2

H227, Combustible liquid.

H304, May be fatal if swallowed and enters airways.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H400, Very toxic to aquatic life.

H411, Toxic to aquatic life with long lasting effects.

2.2 Label elements

Signal word: Danger

Hazard statements: H227, Combustible liquid.

H304, May be fatal if swallowed and enters airways.

H315, Causes skin irritation.

Issue date: 04/06/2022

Version: 2 (04/05/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: SUGARED SPRUCE

Version: 2

H317, May cause an allergic skin reaction.

H400, Very toxic to aquatic life.

H411, Toxic to aquatic life with long lasting effects.

Precautionary statements:

P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection.

P301/310, IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P302/352, IF ON SKIN: Wash with plenty of soap and water.

P331, Do not induce vomiting.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P362, Take off contaminated clothing and wash before reuse.

P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

P391, Collect spillage.

P403/235, Store in a well-ventilated place. Keep cool.

P405, Store locked up.

P501, Dispose of contents/container to approved disposal site, in accordance with local regulations

regulations.



Pictograms:

2.3 Other hazards

Other hazards: None

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

| Name | CAS | % | GHS Classification |
|--------------------------------|-----------|-------------|---|
| Isobornyl acetate | 125-12-2 | 1/U=S5U% | Flam. Liq. 4-Skin Irrit. 3-Aquatic Acute 2;H227-H316- H401 |
| Benzyl benzoate | 120-51-4 | 1111=<>111% | Acute Tox. 4-Acute Tox. 5-Aquatic Acute 1-Aquatic Chronic 2;H302-H313-H400-H411 |
| d-Limonene | 5989-27-5 | 5-<10% | Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 3;H226-H304-H315- H317-H400-H412 |
| 4-(p-Hydroxyphenyl)-2-butanone | 5471-51-2 | 1-<5% | Aquatic Acute 3;H402 |

Page 3 (11)

Issue date: 04/06/2022

Version: 2 (04/05/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: SUGARED SPRUCE

Version: 2

| Ethyl methylphenylglycidate | 77-83-8 | 1-<5% | Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2; H317-H411 |
|---|------------|---------|--|
| Ethyl maltol | 4940-11-8 | 1-<5% | Acute Tox. 4-Aquatic Acute 2;H302-H401 |
| alpha-Pinene | 80-56-8 | 1-<5% | Flam. Liq. 3-Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B- Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H226- H302-H304-H315-H317-H410 |
| Isobornyl propionate | 2756-56-1 | 1-<5% | Skin Irrit. 3-Aquatic Acute 2;H316-H401 |
| laevo-Bornyl acetate | 5655-61-8 | 1-<5% | Skin Irrit. 3-Aquatic Acute 2;H316-H401 |
| Camphene | 79-92-5 | 1-<5% | Flam. Liq. 3-Flam. Sol. 2-Eye Irrit. 2B-Aquatic Acute 1-Aquatic Chronic 1;H226-H228-H320-H410 |
| Coumarin | 91-64-5 | 1-<5% | Acute Tox. 4-Skin Sens. 1B-Aquatic Acute 3;H302-H317-H402 |
| 4-tert-Butylcyclohexyl acetate | 32210-23-4 | 1-<5% | Acute Tox. 5-Skin Sens. 1B-Aquatic Acute 2;H303-H317-H401 |
| 1,3,4,6,7,8-Hexahydro- 4,6,6,7,8,8- hexamethylcyclopenta-gamma- 2-benzopyran | 1222-05-5 | 1-<5% | Skin Irrit. 3-Aquatic Acute 1-Aquatic Chronic 1;H316- H410 |
| Eugenol | 97-53-0 | 0.1-<1% | Acute Tox. 5-Skin Irrit. 3-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2;H303-H316-H317-H319-H401 |
| I-Borneol | 464-45-9 | 0.1-<1% | Flam. Sol. 1-Skin Irrit. 2-Aquatic Acute 2;H228-H315- H401 |
| delta-3-Carene | 13466-78-9 | 0.1-<1% | Flam. Liq. 3-Acute Tox. 5-Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1-Asp. Tox 1-Aquatic Acute 2-Aquatic Chronic 2; H226-H303-H304-H315-H317-H332-H411 |
| Camphor | 76-22-2 | 0.1-<1% | Flam. Liq. 4-Flam. Sol. 2-Acute Tox. 4-Acute Tox. 4-Skin Irrit. 2-Eye Dam. 1-STOT SE 2-Aquatic Acute 2-Aquatic Chronic 2;H227-H228-H302-H315-H318-H332-H371-H411 |
| Ethyl isovalerate | 108-64-5 | 0.1-<1% | Flam. Liq. 3-Skin Irrit. 2-Aquatic Acute 2;H226-H315- H401 |
| beta-Pinene | 127-91-3 | 0.1-<1% | Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 1;H226-H304-H315- H317-H410 |
| I-Limonene | 5989-54-8 | 0.1-<1% | Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 3;H226-H304-H315- H317-H400-H412 |
| beta-Caryophyllene | 87-44-5 | 0.1-<1% | Skin Sens. 1B-Asp. Tox 1-Aquatic Chronic 4;H304-H317-H413 |
| 2,4-Dimethyl-3-cyclohexen-1- carboxaldehyde | 68039-49-6 | 0.1-<1% | Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H227-H303-H315-H317-H319-H411 |
| Eucalyptol | 470-82-6 | 0.1-<1% | Flam. Liq. 3-Acute Tox. 5-Eye Irrit. 2B-Skin Sens. 1B-Aquatic Acute 3;H226-H303-H317-H320-H402 |
| Lauric aldehyde | 112-54-9 | 0.1-<1% | Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B;H315-H317- H319 |
| Linalyl acetate | 115-95-7 | 0.1-<1% | Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2B-Skin Sens. 1B- Aquatic Acute 3;H227-H315-H317-H320-H402 |
| Borneol | 507-70-0 | 0.1-<1% | Flam. Sol. 1-Acute Tox. 5-Skin Irrit. 2-Aquatic Acute 2- Aquatic Chronic 2;H228-H303-H315-H411 |
| alpha-Cedrene | 469-61-4 | <0.1% | Skin Irrit. 3-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H304-H316-H410 |
| | | | |

Substances with workplace exposure limits, not listed above:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

Page 4 (11)

Issue date: 04/06/2022

Version: 2 (04/05/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: SUGARED SPRUCE

Version: 2

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

Skin exposure: IF ON SKIN: Wash with plenty of soap and water.

Ingestion: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

4.2 Most important symptoms and effects, both acute and delayed

May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

Page 5 (11)

Issue date: 04/06/2022

Version: 2 (04/05/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: SUGARED SPRUCE

Version: 2

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Clear 1 Very Pale Yellow - 3 Very Pale Yellow free-flowing liquid

without sediment Conforms to Standard

Odour: Conforms to Standard

Odour threshold:

pH:

Not determined

Not determined

Melting point / freezing point:

Not determined

Not determined

Not determined

Flash point: 69 °C

Evaporation rate: Not determined Flammability (solid, gas): Not determined

Upper/lower flammability or explosive limits: Product does not present an explosion hazard

Vapour pressure:Not determinedVapour density:Not determinedRelative density:0.9880 - 0.9980

Page 6 (11)

Issue date: 04/06/2022

Version: 2 (04/05/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: SUGARED SPRUCE

Version: 2

Solubility(ies):

Partition coefficient: n-octanol/water:

Not determined

Auto-ignition temperature:

Not determined

Not determined

Viscosity:

Not determined

Not determined

Not determined

Not determined

Not determined

Not expected

Not expected

Not expected

9.2 Other information:

Refractive Index @ 20C: 1.4849 - 1.4949

Flash Point (Fahrenheit): 155.8 °F Calculated VOC: 8.40

Color Range: 1 Very Pale Yellow to 3 Very Pale Yellow

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

Acute Toxicity:Based on available data the classification criteria are not met.

Acute Toxicity Oral >5000 Acute Toxicity Dermal >5000

Acute Toxicity Inhalation Not Available

Skin corrosion/irritation: Skin Corrosion / Irritation Category 2

Serious eye damage/irritation: Based on available data the classification criteria are not met.

Page 7 (11)

Issue date: 04/06/2022

Version: 2 (04/05/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: SUGARED SPRUCE

Version: 2

Respiratory or skin sensitisation: Sensitization - Skin Category 1

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Carcinogenicity:

Based on available data the classification criteria are not met.

Reproductive toxicity:

Based on available data the classification criteria are not met.

STOT-single exposure:

Based on available data the classification criteria are not met.

STOT-repeated exposure:

Based on available data the classification criteria are not met.

Aspiration hazard: Aspiration Hazard Category 1

Information about hazardous ingredients in the mixture

Not Applicable

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available
12.3 Bioaccumulative potential: Not available
12.4 Mobility in soil: Not available
12.5 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

| | 14.1 UN number: | 14.2 UN Proper Shipping Name: | 14.3 Transport hazard class(es): | Sub Risk: | 14.4. Packing Group: |
|-------------------------|--------------------|--|---|-----------|-------------------------|
| UN Model Regulations | UN3082 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha-Pinene, Benzyl benzoate) | 9 | - | |
| IMDG | UN3082 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Pinene, Benzyl benzoate) MARINE POLLUTANT | 9 | - | III |

Page 8 (11)

Issue date: 04/06/2022

Version: 2 (04/05/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: SUGARED SPRUCE

Version: 2

| ADR,RID,ADN | UN3082 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Pinene, Benzyl benzoate) | 9 | - | III |
|-------------|--------|--|---|---|-----|
| ICAO TI | UN3082 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Pinene, Benzyl benzoate) | 9 | - | III |

14.5 Environmental hazards: This is classified as an environmentally hazardous substance under the UN

Model Regulations. This is classified as a Marine Pollutant under the IMDG

Code.

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

Section 15. Regulatory information

Components listed on California's Proposition 65:

| Name | CAS | % |
|-------------------------------|----------|-------|
| Myrcene (Naturally-Occurring) | 123-35-3 | <0.1% |

Essential Oil Components:

| Name | CAS | % |
|-------------------------|-----------|---------|
| FIR NEEDLE OIL SIBERIAN | 8021-29-2 | 5-<10% |
| LEMON OIL CALIFORNIA | 8008-56-8 | 0.1-<1% |
| CEDARWOOD OIL VIRGINIA | 8000-27-9 | 0.1-<1% |
| CEDARLEAF OIL | 8007-20-3 | <0.1% |

Additional formulation properties

| | Name | CAS | % |
|---------|------|----------|---------|
| Vanilli | in | 121-33-5 | 0.1-<1% |

Section 16. Other information

Concentration % Limits: EH A1=87.79% EH A2=7.34% EH A3=0.73273085% EH C2=34.38% EH

C3=3.40% EH C4=80.21% SCI 2=93.75% SCI 3=5.03% SS 1=11.59% AH

1=70.30%

Total Fractional Values: EH A1=1.14 EH A2=13.63 EH A3=136.48 EH C2=2.91 EH C3=29.44 EH

C4=1.25 SCI 2=1.07 SCI 3=19.89 SS 1=8.63 AH 1=1.42

Key to revisions:

14.2. UN proper shipping name

2.1 Classification of the substance or mixture

Concentration % Limits

Information about hazardous ingredients in the mixture

Issue date: 04/06/2022 Version: 2 (04/05/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: SUGARED SPRUCE

Version: 2

SECTION 3: Composition/information on ingredients

Total Fractional Values

Key to abbreviations:

| Abbreviation | Meaning |
|-------------------|--|
| Acute Tox. 4 | Acute Toxicity - Oral Category 4 |
| Acute Tox. 4 | Acute Toxicity - Inhalation Category 4 |
| Acute Tox. 5 | Acute Toxicity - Dermal Category 5 |
| Acute Tox. 5 | Acute Toxicity - Oral Category 5 |
| Aquatic Acute 1 | Hazardous to the Aquatic Environment - Acute Hazard Category 1 |
| Aquatic Acute 2 | Hazardous to the Aquatic Environment - Acute Hazard Category 2 |
| Aquatic Acute 3 | Hazardous to the Aquatic Environment - Acute Hazard Category 3 |
| Aquatic Chronic 1 | Hazardous to the Aquatic Environment - Long-term Hazard Category 1 |
| Aquatic Chronic 2 | Hazardous to the Aquatic Environment - Long-term Hazard Category 2 |
| Aquatic Chronic 3 | Hazardous to the Aquatic Environment - Long-term Hazard Category 3 |
| Aquatic Chronic 4 | Hazardous to the Aquatic Environment - Long-term Hazard Category 4 |
| Asp. Tox 1 | Aspiration Hazard Category 1 |
| Eye Dam. 1 | Eye Damage / Irritation Category 1 |
| Eye Irrit. 2A | Eye Damage / Irritation Category 2A |
| Eye Irrit. 2B | Eye Damage / Irritation Category 2B |
| Flam. Liq. 3 | Flammable Liquid, Hazard Category 3 |
| Flam. Liq. 4 | Flammable Liquid, Hazard Category 4 |
| Flam. Sol. 1 | Flammable Solid, Hazard Category 1 |
| Flam. Sol. 2 | Flammable Solid, Hazard Category 2 |
| H226 | Flammable liquid and vapour. |
| H227 | Combustible liquid. |
| H228 | Flammable solid. |
| H302 | Harmful if swallowed. |
| H303 | May be harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H313 | May be harmful in contact with skin. |
| H315 | Causes skin irritation. |
| H316 | Causes mild skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H320 | Causes eye irritation. |
| H332 | Harmful if inhaled. |
| H371 | May cause damage to organs (organs, exposure route). |
| H400 | Very toxic to aquatic life. |
| H401 | Toxic to aquatic life. |
| H402 | Harmful to aquatic life. |

Issue date: 04/06/2022

Version: 2 (04/05/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: SUGARED SPRUCE

Version: 2

| H410 | Very toxic to aquatic life with long lasting effects. |
|--------------|--|
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| H413 | May cause long lasting harmful effects to aquatic life. |
| | |
| P210 | Keep away from heat, sparks, open flames and hot surfaces No smoking. |
| P233 | Keep container tightly closed. |
| P240 | Ground/bond container and receiving equipment. |
| P241 | Use explosion-proof electrical, ventilating and lighting equipment. |
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P260 | Do not breathe vapour or dust. |
| P261 | Avoid breathing vapour or dust. |
| P264 | Wash hands and other contacted skin thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves/eye protection/face protection. |
| P301/310 | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. |
| P301/312 | IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell. |
| P302/352 | IF ON SKIN: Wash with plenty of soap and water. |
| P303/361/353 | IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. |
| P304/340 | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. |
| P305/351/338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P309/311 | IF exposed or if you feel unwell: Call a POISON CENTRE or doctor/physician. |
| P310 | Immediately call a POISON CENTER or doctor/physician. |
| P312 | Call a POISON CENTRE or doctor/physician if you feel unwell. |
| P330 | Rinse mouth. |
| P331 | Do not induce vomiting. |
| P332/313 | If skin irritation occurs: Get medical advice/attention. |
| P333/313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P337/313 | If eye irritation persists: Get medical advice/attention. |
| P362 | Take off contaminated clothing and wash before reuse. |
| P363 | Wash contaminated clothing before reuse. |
| P370/378 | In case of fire: Use carbon dioxide, dry chemical, foam for extinction. |
| P391 | Collect spillage. |
| P403/235 | Store in a well-ventilated place. Keep cool. |
| P405 | Store locked up. |
| P501 | Dispose of contents/container to approved disposal site, in accordance with local regulations. |
| | |
| STOT SE 2 | Specific Target Organ Toxicity (Single Exposure) Category 2 |

Page 11 (11)

Issue date: 04/06/2022

Version: 2 (04/05/2022)

SAFETY DATA SHEET

In accordance with UN GHS latest edition

Product: SUGARED SPRUCE

Version: 2

| Skin Irrit. 3 | Skin Corrosion / Irritation Category 3 |
|---------------|--|
| Skin Sens. 1 | Sensitization - Skin Category 1 |
| Skin Sens. 1B | Sensitization - Skin Category 1B |

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.