

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 02/04/2019 Revision date: 12/01/2023 Supersedes: 01/16/2023

SECTION 1: Identification Identification 1.1. Product form : Mixture Product name Vanilla Chai Fragrance, All Natural 1 CAS-No. N/A Product code : 99347 1.2. Recommended use and restrictions on use 1.3. Supplier Shay and Company 10639 SE Fuller Rd Milwaukie, OR 97222 503-653-1155 1.4. **Emergency telephone number** Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 1015430 SECTION 2: Hazard(s) identification 2.1. **Classification of the substance or mixture GHS US classification** Flammable liquids Category 3 Flammable liquid and vapor 2.2. GHS Label elements, including precautionary statements **GHS US labeling** Hazard pictograms (GHS US) GHS02 Signal word (GHS US) : Warning Hazard statements (GHS US) Flammable liquid and vapor Precautionary statements (GHS US) Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. In case of fire: Use media other than water to extinguish. Store in a well-ventilated place. Keep cool. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

Version: 1.6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable 3.2. Mixtures

J.Z. WIALUIES			
Name	Product identifier	%	GHS US classification
VANILLIN	(CAS-No.) 121-33-5	1 – 5	Eye Irrit. 2A, H319
ETHYL ALCOHOL	(CAS-No.) 64-17-5	1 – 5	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-a	d measures	
4.1. Description of	first aid measures	
First-aid measures after in	halation :	Remove person to fresh air and keep comfortable for breathing.
First-aid measures after s		Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing.
First-aid measures after e	•	Rinse eyes with water as a precaution.
First-aid measures after ir	igestion :	Call a poison center/doctor/physician if you feel unwell.
4.2. Most importan	t symptoms and effects	(acute and delayed)
4.3. Immediate med	lical attention and speci	ial treatment, if necessary
Treat symptomatically.		
SECTION 5: Fire-fig	hting measures	
5.1. Suitable (and u	insuitable) extinguishing	g media
Suitable extinguishing me	dia :	Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Specific hazar	ds arising from the chen	nical
Fire hazard	:	Flammable liquid and vapor.
Reactivity	:	Flammable liquid and vapor.
5.3. Special protec	tive equipment and prec	cautions for fire-fighters
Protection during firefighti	ng :	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accide	ntal release measu	res
6.1. Personal preca	utions, protective equip	oment and emergency procedures
6.1.1. For non-emerg	ency personnel	
Emergency procedures	:	Ventilate spillage area. No open flames, no sparks, and no smoking.
6.1.2. For emergency	responders	
Protective equipment		Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental	precautions	
Avoid release to the envir	onment.	
6.3. Methods and n	naterial for containment	and cleaning up
Methods for cleaning up	:	Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	:	Dispose of materials or solid residues at an authorized site.
6.4. Reference to o	ther sections	
For further information ref	er to section 13.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	ng any incompatibilities
Technical measures	: Ground/bond container and receiving equipment.
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

OIL, VANILLA CHAI AN* (N/A)	
No additional information available	
VANILLIN (121-33-5)	
No additional information available	
ETHYL ALCOHOL (64-17-5)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Ethanol
ACGIH OEL STEL [ppm]	1000 ppm
Remark (ACGIH)	URT irr
USA - OSHA - Occupational Exposure Limits	
Local name	Ethyl alcohol (Ethanol)
OSHA PEL TWA [1]	1900 mg/m ³
OSHA PEL TWA [2]	1000 ppm

8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls

. Elisaid

: Ensure good ventilation of the work station.: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical p	roperties
0.1. Information on basic physical and ch	emical properties
Physical state	: Liquid
Color	: COLORLESS TO PALE YELLOW/AMBER
Odor	: CHARACTERISTIC, MATCHING RETAINER SAMPLE
Odor threshold	: No data available
pH	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 51 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: 0.951 (0.941 – 0.961)
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
Refractive index	: 1.455 (1.445 – 1.465)
SECTION 10: Stability and reactivity	
10.1. Reactivity	
Flammable liquid and vapor.	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	
No dangerous reactions known under normal con-	ditions of use.
10.4. Conditions to avoid	
Avoid contact with hot surfaces. Heat. No flames,	no sparks. Eliminate all sources of ignition.
10.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition products	
	rdous decomposition products should not be produced.
SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
VANILLIN (121-33-5)	
LD50 oral rat	3300 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value. Oral 14 day(s))

ANILLIN (121-33-5)	
D50 oral rat	3300 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

VANILLIN (121-33-5)	
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
ATE US (oral)	3300 mg/kg body weight
ATE US (dermal)	2600 mg/kg body weight
ETHYL ALCOHOL (64-17-5)	
LD50 oral rat	10470 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 15800 mg/kg body weight (Rabbit, Experimental value, Dermal)
LC50 Inhalation - Rat	124.7 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
ETHYL ALCOHOL (64-17-5)	
IARC group	1 - Carcinogenic to humans
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
ETHYL ALCOHOL (64-17-5)	
STOT-single exposure	May cause drowsiness or dizziness. May cause respiratory irritation.
STOT-repeated exposure	Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
SECTION 12: Ecological inform	ation
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

VANILLIN (121-33-5)	
LC50 - Fish [1]	57 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 - Crustacea [1]	36.79 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
LC50 - Fish [2]	123 mg/l Test organisms (species): Pimephales promelas
ErC50 algae	120 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
LOEC (chronic)	10 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	5.9 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
ETHYL ALCOHOL (64-17-5)	
LC50 - Fish [1]	15300 mg/l (US EPA, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)

12.2. Persistence and degradability

VANILLIN (121-33-5)		
Persistence and degradability	Readily biodegradable in water.	
ETHYL ALCOHOL (64-17-5)		
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0.8 – 0.967 g O ₂ /g substance	
Chemical oxygen demand (COD)	1.7 g O ₂ /g substance	
ThOD	2.1 g O ₂ /g substance	
40/04/0000		5/0

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

1.17 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Low potential for bioaccumulation (Log Kow < 4).
-0.35 (Experimental value, Equivalent or similar to OECD 107, 24 °C)
Not bioaccumulative.

12.4. Mobility in so	il
----------------------	----

VANILLIN (121-33-5)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.438 (log Koc, Experimental value)
Ecology - soil	Low potential for mobility in soil.
ETHYL ALCOHOL (64-17-5)	
Surface tension	22.31 mN/m (20 °C, 100 %)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.2 (log Koc, Experimental value)
Ecology - soil	Highly mobile in soil.

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations				
13.1. Disposal methods				
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.			
Additional information	: Flammable vapors may accumulate in the container.			
SECTION 14: Transport information				
Department of Transportation (DOT)				
In accordance with DOT				
Transport document description (DOT)	: UN1266 Perfumery products (Regulated for Bulk only), 3, III			
UN-No.(DOT)	: UN1266			
Proper Shipping Name (DOT)	: Perfumery products			
	(Regulated for Bulk only)			
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120			
Packing group (DOT)	: III - Minor Danger			
Hazard labels (DOT)	: 3 - Flammable liquid			
	CAMMALE LIQUE			
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203			
DOT Packaging Bulk (49 CFR 173.xxx)	: 242			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Special Provisions (49 CFR 172.102)	:	B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal
		following: Degree of filling = $97 / 1 + a$ (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.
DOT Packaging Exceptions (49 CFR 173.xxx)	:	150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	:	60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	:	220 L
DOT Vessel Stowage Location	:	A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	:	127
Other information	:	No supplementary information available.
Transportation of Dangerous Goods		
Transport document description (TDG)	:	UN1266 PERFUMERY PRODUCTS (Regulated for Bulk only), 3, III
UN-No. (TDG)	:	UN1266
Proper Shipping Name (TDG)	:	PERFUMERY PRODUCTS
TDG Primary Hazard Classes	:	3 - Class 3 - Flammable Liquids
Packing group (TDG)		III - Minor Danger
TDG Special Provisions	:	59 - Substances that are listed by name in Schedule 1 must not be transported under this shipping name. Substances transported under this shipping name may contain not more than 20% nitrocellulose if the nitrocellulose contains not more than 12.6% nitrogen (by dry mass).
Explosive Limit and Limited Quantity Index	:	
Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index	:	60 L
Transport by sea		
Transport document description (IMDG)	:	UN 1266 PERFUMERY PRODUCTS, 3, III
UN-No. (IMDG)	:	1266
Proper Shipping Name (IMDG)	:	PERFUMERY PRODUCTS
Class (IMDG)	:	3 - Flammable liquids
Packing group (IMDG)	:	III - substances presenting low danger
Limited quantities (IMDG)	:	5 L
Air transport		
Transport document description (IATA)	:	UN 1266 Perfumery products, 3, III
UN-No. (IATA)	:	1266
Proper Shipping Name (IATA)	:	Perfumery products
Class (IATA)	:	3 - Flammable Liquids
Packing group (IATA)		III - Low danger
SECTION 15: Regulatory information	1	

SECTION 15: Regulatory informatio

15.1. US Federal regulations

ETHYL ALCOHOL (64-17-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.2. International regulations CANADA VANILLIN (121-33-5) Listed on the Canadian DSL (Domestic Substances List) ETHYL ALCOHOL (64-17-5) Listed on the Canadian DSL (Domestic Substances List) EU-Regulations

No additional information available

National regulations

VANILLIN (121-33-	121-33-5)					
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)						
ETHYL ALCOHOL)HOL (64-17-5)					
Listed on IARC (International Agency for Research on Cancer)						
15.3. US State regulations						
WARNING:	This product can expose you to methyl eugenol, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov. We believe the volume in the end product falls below the safe harbor levels.					
Component		State or local regulations				

Component	State or local regulations
ETHYL ALCOHOL(64-17-5)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

evision date	: 12/01/2023	
ull text of H-phrases:		
H225	Highly flammable liquid and vapor	
H319	Causes serious eye irritation	
H335	May cause respiratory irritation	
H336	May cause drowsiness or dizziness	

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.