

1.1.

1.2.

1.3.

1.4.

2.1.

2.2.

CAS-No.

Strawberry Flavor, All Natural

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 01/03/2020 Revision date: 07/07/2023 Supersedes: 01/03/2020

SECTION 1: Identification Identification Product form : Mixture Product name : Strawberry Flavor, All Natural :N/A Product code : 99364-6 Recommended use and restrictions on use Supplier Shay and Company 10639 SE Fuller Rd Milwaukie, OR 97222 503-653-1155 **Emergency telephone number** Emergency number : CHEMTREC - USA: 800-424-9300 International: +1 703-527-3887 / 1-800-424-9300 CCN 1014530 SECTION 2: Hazard(s) identification **Classification of the substance or mixture GHS US classification** Flammable liquids Category 3 Flammable liquid and vapor Skin corrosion/irritation Category 2 Causes skin irritation Serious eye damage/eye irritation Category 1 Causes serious eye damage Skin sensitization, Category 1 May cause an allergic skin reaction GHS Label elements, including precautionary statements **GHS US labeling** Hazard pictograms (GHS US) GHS02 GHS05 GHS07 Signal word (GHS US) : Danger Hazard statements (GHS US) Flammable liquid and vapor Causes skin irritation May cause an allergic skin reaction Causes serious eye damage : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No Precautionary statements (GHS US) smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

> Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling.

If on skin: Wash with plenty of water.

and easy to do. Continue rinsing. Immediately call a poison center or doctor.

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

Specific treatment (see supplemental first aid instruction on this label).

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

water/shower.

Version: 1.3

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	If skin irritation occurs: Get media If skin irritation or rash occurs: G Take off contaminated clothing a Wash contaminated clothing befor In case of fire: Use media other t Store in a well-ventilated place. H Dispose of contents/container to with local, regional, national and/	et medical advice, nd wash it before ore reuse. han water to extir keep cool. hazardous or spe	attention. reuse. guish. cial waste collection point, in accordance
.3. Other hazards which do not	result in classification		
lo additional information available			
.4. Unknown acute toxicity (GH	IS US)		
lot applicable			
SECTION 3: Composition/Info	rmation on ingredients		
.1. Substances			
lot applicable			
Not applicable	Product identifier	0/2	GHS US classification
lot applicable	Product identifier (CAS-No.) 116-53-0	<mark>%</mark> 1−5	GHS US classification Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1B, H314 Eye Dam. 1, H318
Name			Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1B, H314
Jot applicable .2. Mixtures Name 2-Methylbutyric acid	(CAS-No.) 116-53-0	1 – 5	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1B, H314 Eye Dam. 1, H318 Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
Jot applicable .2. Mixtures Name 2-Methylbutyric acid ETHYL ALCOHOL	(CAS-No.) 116-53-0 (CAS-No.) 64-17-5	1-5	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1B, H314 Eye Dam. 1, H318 Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336 STOT SE 3, H335 Flam. Liq. 3, H226

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and effect	ts (acute and delayed)
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Serious damage to eyes.
4.3. Immediate medical attention and spe	ecial treatment, if necessary
Treat symptomatically.	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishi	ing media
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Specific hazards arising from the che	emical
Fire hazard	: Flammable liquid and vapor.
Reactivity	: Flammable liquid and vapor.
5.3. Special protective equipment and protecti	ecautions for fire-fighters

apparatus. Complete protective clothing.

: Do not attempt to take action without suitable protective equipment. Self-contained breathing

Protection during firefighting

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective e	quipment and emergency procedures	
6.1.1. For non-emergency personnel Emergency procedures	 Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. 	
6.1.2. For emergency responders Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for containm	nent and cleaning up	
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		
For further information refer to section 13.		
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.	
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, includ	ling any incompatibilities	
Technical measures	: Ground/bond container and receiving equipment.	
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed.	

SECTION 8: Exposure controls/pe	rsonal protection

8.1. Control parameters

STRAWBERRY FRAP FLV NAT (N/A)	
No additional information available	
ETHYL ALCOHOL (64-17-5)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Ethanol
ACGIH OEL STEL [ppm]	1000 ppm
Remark (ACGIH)	URT irr
USA - OSHA - Occupational Exposure Limits	
Local name	Ethyl alcohol (Ethanol)
OSHA PEL TWA [1]	1900 mg/m³
OSHA PEL TWA [2]	1000 ppm
ETHYL BUTYRATE (105-54-4)	
No additional information available	
ETHYL CAPROATE (123-66-0)	
No additional information available	
METHYL CINNAMATE (103-26-4)	
No additional information available	
2-Methylbutyric acid (116-53-0)	
No additional information available	
07/07/2023	EN (English US) 3/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls : Ensure good ventilation of the work station.: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment



SECTION 9: Physical and chemical properties	
9.1. Information on basic physical and chemical properties	
Physical state	: Liquid
Color	: COLORLESS TO YELLOW
Odor	: STRAWBERRY
Odor threshold	: No data available
рН	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 30 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: 0.935 (0.925 – 0.945)
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
Refractive index	: 1.442 (1.432 – 1.452)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: Stability and react	ivity
10.1. Reactivity	
Flammable liquid and vapor.	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous react	ions
No dangerous reactions known under norr	
J	
10.4. Conditions to avoid	flames, no sparks. Eliminate all sources of ignition.
	names, no sparks. Eliminate all sources of ignition.
10.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition pro	ducts
Inder normal conditions of storage and us	se, hazardous decomposition products should not be produced.
SECTION 11: Toxicological info	rmation
11.1. Information on toxicological e	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
,	
ETHYL ALCOHOL (64-17-5) LD50 oral rat	10470 malka body weight (OECD 401: Acute Oral Toxisity, Bat Male / famale, Eventimental
	10470 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	 > 15800 mg/kg body weight (Rabbit, Experimental value, Dermal)
LC50 Inhalation - Rat	124.7 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental
	value, Inhalation (vapours), 14 day(s))
ETHYL BUTYRATE (105-54-4)	
LD50 oral rat	> 2000 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Remarks on results: other:
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:
LC50 Inhalation - Rat [ppm]	> 4000 ppm Animal: rat, Guideline: other:, Remarks on results: other:
METHYL CINNAMATE (103-26-4)	
ATE US (oral)	2610 mg/kg body weight
2-Methylbutyric acid (116-53-0)	
ATE US (oral)	1760 mg/kg body weight
ATE US (dermal)	1600 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
ETHYL ALCOHOL (64-17-5)	
IARC group	1 - Carcinogenic to humans
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
ETHYL ALCOHOL (64-17-5)	
STOT-single exposure	May cause drowsiness or dizziness. May cause respiratory irritation.
STOT-repeated exposure	: Not classified
07/07/2023	EN (English US) 5/
5110112025	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects after skin contact Symptoms/effects after eye contact	Irritation. May cause an allergic skin reaction.Serious damage to eyes.

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
ETHYL ALCOHOL (64-17-5)	
LC50 - Fish [1]	15300 mg/l (US EPA, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)
ETHYL BUTYRATE (105-54-4)	
LC50 - Fish [1]	≥ 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	116.6 mg/l Test organisms (species): Daphnia magna
NOEC (chronic)	28833 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	1483 mg/l Test organisms (species): other: Duration: '28 d'

12.2. Persistence and degradability

ETHYL ALCOHOL (64-17-5)	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	$0.8 - 0.967 \text{ g } O_2/\text{g substance}$
Chemical oxygen demand (COD)	1.7 g O ₂ /g substance
ThOD	2.1 g O ₂ /g substance

12.3. Bioaccumulative potential

ETHYL ALCOHOL (64-17-5)	
Partition coefficient n-octanol/water (Log Pow)	-0.35 (Experimental value, Equivalent or similar to OECD 107, 24 °C)
Bioaccumulative potential	Not bioaccumulative.

12.4. Mobility in soil

ETHYL ALCOHOL (64-17-5)	
Surface tension	22.31 mN/m (20 °C, 100 %)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.2 (log Koc, Experimental value)
Ecology - soil	Highly mobile in soil.

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal consideration	ons
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Additional information	: Flammable vapors may accumulate in the container.
SECTION 14: Transport information	1
Department of Transportation (DOT) In accordance with DOT	
Transport document description (DOT)	: UN1197 Extracts, flavoring, liquid, 3, III
UN-No.(DOT)	: UN1197
Proper Shipping Name (DOT)	: Extracts, flavoring, liquid

EN (English US)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Packing group (DOT)	: III - Minor Danger
Hazard labels (DOT)	: 3 - Flammable liquid
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Special Provisions (49 CFR 172.102)	 B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquid with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 5 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Tabl 2 for UN2672). T2 - 1.5 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number	: 127
Other information	: No supplementary information available.
Transportation of Dangerous Goods	
Transport document description (TDG)	: UN1197 EXTRACTS, FLAVOURING, LIQUID, 3, III
UN-No. (TDG)	: UN1197
Proper Shipping Name (TDG)	: EXTRACTS, FLAVOURING, LIQUID
TDG Primary Hazard Classes	: 3 - Class 3 - Flammable Liquids
Packing group (TDG)	: III - Minor Danger
Explosive Limit and Limited Quantity Index Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index	: 5L : 60L
Transport by sea	
Transport document description (IMDG) UN-No. (IMDG)	: UN 1197 EXTRACTS, FLAVOURING, LIQUID, 3, III : 1197
Proper Shipping Name (IMDG)	: EXTRACTS, FLAVOURING, LIQUID
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: III - substances presenting low danger
Limited quantities (IMDG)	: 5L
Air transport	
Transport document description (IATA)	: UN 1197 Extracts, liquid, 3, III
UN-No. (IATA)	: 1197
Proper Shipping Name (IATA)	: Extracts, liquid
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: III - Low danger
07/07/2023	EN (English LIS) 7/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information

15.1. US Federal regulations

ETHYL ALCOHOL (64-17-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

ETHYL CAPROATE (123-66-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

2-Methylbutyric acid (116-53-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

ETHYL ALCOHOL (64-17-5)		
Listed on the Canadian DSL (Domestic Substances List)		
ETHYL BUTYRATE (105-54-4)		
Listed on the Canadian DSL (Domestic Substances List)		
ETHYL CAPROATE (123-66-0)		
Listed on the Canadian DSL (Domestic Substances List)		
METHYL CINNAMATE (103-26-4)		
Listed on the Canadian DSL (Domestic Substances List)		
2-Methylbutyric acid (116-53-0)		
Listed on the Canadian DSL (Domestic Substances List)		
EU-Regulations		

No additional information available

National regulations

ETHYL ALCOHOL (64-17-5)

Listed on IARC (International Agency for Research on Cancer)

ETHYL BUTYRATE (105-54-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

METHYL CINNAMATE (103-26-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
ETHYL ALCOHOL(64-17-5)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
ETHYL BUTYRATE(105-54-4)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
ETHYL CAPROATE(123-66-0)	U.S New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other inform	ation	
Revision date	: 07/07/2023	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

text of H-phrases:		
H225	Highly flammable liquid and vapor	
H226	Flammable liquid and vapor	
H227	Combustible liquid	
H302	Harmful if swallowed	
H312	Harmful in contact with skin	
H314	Causes severe skin burns and eye damage	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H318	Causes serious eye damage	
H319	Causes serious eye irritation	
H335	May cause respiratory irritation	
H336	May cause drowsiness or dizziness	

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.