

SAFETY DATA SHEET

according to the Globally Harmonized Systemand US regulation 29 CFR 1910.1200

Dissolvine E-39

Revision Date 02/11/2021 Print Date 03/01/2021 US / Z8 Version 2

1. IDENTIFICATION

Product name : Dissolvine E-39

Product Use Description : Specific use(s): Chelating agent

Company : Nouryon Surface Chemistry LLC

131 S Dearborn St, Suite 1000

Chicago IL 60603-5566

US

Telephone +18009069977 Fax +13125447188

E-mail address

CANUTEC: +1 613-996-6666 CHEMTREC: +1 800-424-Emergency telephone

9300-:

Nouryon - USA: (914) 693-6946

CHEMTREC (24-hr): (800) 424-9300 (Toll-free in the U.S.,

Canada and the U.S. Virgin Islands)

CHEMTREC (24-hr): (703) 527-3887 (For calls originating

elsewhere / collect calls are accepted)

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Color	light yellow
Odor	Slightly ammonia like

GHS Classification

Corrosive to Metals, Category 1 Acute toxicity, Category 4, Inhalation

Eye irritation, Category 2A

Specific target organ toxicity - repeated exposure, Category 2, Inhalation, Respiratory Tract

GHS label elements

Hazard pictograms :







Signal Word : Warning

Hazard Statements : H290 May be corrosive to metals.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H373 May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure if inhaled.

Precautionary Statements : Prevention:

P234 Keep only in original container. P260 Do not breathe mist, vapors or spray. P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear eye protection/ face protection.

Response:

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON

CENTER/ doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P314 Get medical advice/ attention if you feel unwell.
P337 + P313 If eye irritation persists: Get medical advice/

attention.

P390 Absorb spillage to prevent material damage.

Storage:

P406 Store in corrosive resistant container with a resistant

inner liner. **Disposal:**

P501 Dispose of contents/container in accordance with local

regulation.

Carcinogenicity:

IARC : Group 2B: Possibly carcinogenic to humans

Nitrilotriacetic acid, trisodium salt 5064-31-3

Group 2B: Possibly carcinogenic to humans

OSHA : No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP : No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated

carcinogen by NTP.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Common Name : Ethylenediaminetetraacetic acid, tetrasodium salt; Aqueous

solution

Pure substance/mixture : Mixture

Hazardous ingredients

Chemical name	CAS-No.	Classification	Concentration [% W/W]
Ethylenediaminetetraacetic acid, tetrasodium salt	64-02-8	Acute Tox. 4; H302	>= 30 - < 50
totraoodiam oait		Acute Tox. 4; H332	
		Eye Irrit. 2A; H319	
		STOT RE 2; H373	
Sodium hydroxide	1310-73-2	Met. Corr. 1; H290	>= 0.5 - < 1.9
		Skin Corr. 1A; H314	
		Eye Dam. 1; H318	
		Aquatic Acute 3; H402	
Nitrilotriacetic acid, trisodium salt	5064-31-3	Acute Tox. 4; H302	>= 0.1 - < 1
		Eye Irrit. 2A; H319	
		Carc. 2; H351	

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Consult a physician.

Show this material safety data sheet to the doctor in

attendance.

Inhalation : If breathed in, move person into fresh air.

Consult a physician after significant exposure.

Skin contact : Take off contaminated clothing and shoes immediately.

Rinse immediately with plenty of water.

Eye contact : Rinse with plenty of water.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

Obtain medical attention.

Ingestion : Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person.

Obtain medical attention.

Notes to physician

Symptoms : The symptoms and effects are as expected from the hazards

as shown in section 2. No specific product related symptoms

are known.

Risks : Causes serious eye irritation.

Harmful if inhaled.

May cause damage to organs through prolonged or repeated

exposure if inhaled.

Treatment : Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Specific hazards during fire fighting / Specific hazards arising from the chemical

: Water spray may be ineffective unless used by experienced

firefighters.

Do not allow run-off from fire fighting to enter drains or water

courses.

Combustion products : Nitrogen oxides (NOx)

Special protective equipment

for fire-fighters

: In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

See also Section 9. Physical and chemical properties: Safety data

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Wear respiratory protection. Ensure adequate ventilation.

Emergency measures on

accidental release

: Evacuate personnel to safe areas.

Only qualified personnel equipped with suitable protective

equipment may intervene.

Prevent unauthorized persons entering the zone.

Environmental precautions : Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods for cleaning up / Methods for containment

: Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

Reference to other sections : For disposal considerations see section 13.

For personal protection see section 8.

7. HANDLING AND STORAGE

Handling

Advice on safe handling : For personal protection see section 8.

Avoid formation of aerosol.

Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.

Smoking, eating and drinking should be prohibited in the

application area.

Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against

fire and explosion

: Normal measures for preventive fire protection.

Storage

Requirements for storage areas and containers

Prevent unauthorized access.

Keep container tightly closed in a dry and well-ventilated

place.

Store in closed dark containers made of anti-corrosive

material.

Keep only in original container.

Other data : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Sodium hydroxide	1310-73-2	<pre><** Phrase language not available: [Z8] CUST - TD1I:P4VH:7 R6 **></pre>	2 mg/m3	ACGIH
		С	2 mg/m3	ACGIH
		С	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z-1

 C
 2 mg/m3
 OSHA P0

 C
 2 mg/m3
 CAL PEL

Engineering measures : Effective exhaust ventilation system

Ensure that eyewash stations and safety showers are close

to the workstation location.

Personal protective equipment

Respiratory protection : In the case of vapor or aerosol formation use a respirator with

an approved filter.

Eye protection : Tightly fitting safety goggles

Skin and body protection : Protective suit

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

Environmental exposure controls

General advice : Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : light yellow

Odor : Slightly ammonia like

Odor Threshold : not determined

pH : 11 - 12

Concentration: 1 %

1% (water)

Melting point : Not applicable

Boiling point/boiling range : 221 - 230 °F / 105 - 110 °C

Flash point : not (in)flammable Product is not flammable (aqueous)

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Dissolvine E-39

Version 2 Revision Date 02/11/2021 Print Date 03/01/2021 US / Z8

Flammability (liquids) : Not classified as a flammability hazard

Self-ignition : Not applicable

Upper explosion limit / Upper

flammability limit

Not applicable

Lower explosion limit / Lower

flammability limit

Not applicable

Vapor pressure : similar to water

Relative vapor density : similar to water

Relative density : 1.15 - 1.38

Bulk density : Not applicable

Solubility(ies)

Water solubility : completely miscible

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

log Pow: < 0

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : ca. 19 mPa.s (68 °F / 20 °C)

Viscosity, kinematic : 13.80 - 16.50 mm2/s (68 °F / 20 °C)

Explosive properties : Not explosive

Oxidizing properties : Not classified as oxidizing.

Metal corrosion rate : Corrosive to metals

This material safety datasheet only contains information relating to safety and does not replace any product information or product specification.

10. STABILITY AND REACTIVITY

Conditions to avoid : None known.

Materials to avoid : Copper

Aluminum Zinc

Copper alloys

Nickel

Dissolvine E-39

Print Date 03/01/2021 Version 2 Revision Date 02/11/2021 US / Z8

Hazardous decomposition

: Carbon oxides

products nitrogen oxides (NOx)

Thermal decomposition : No data available

Stable under normal conditions. Reactivity

Chemical stability Stable under recommended storage conditions.

Hazardous reactions No dangerous reaction known under conditions of normal use.

11. TOXICOLOGICAL INFORMATION

PRODUCT INFORMATION:

Hazard Summary

Harmful if inhaled. Acute toxicity

Skin corrosion/irritation Not classified based on available information.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin

sensitization

Respiratory sensitization: Not classified based on available

information.

Skin sensitization: Not classified based on available

information.

Germ cell mutagenicity Not classified based on available information.

Carcinogenicity Not classified based on available information.

Not classified based on available information. Reproductive toxicity

STOT-single exposure Not classified based on available information.

STOT-repeated exposure May cause damage to organs through prolonged or repeated

exposure if inhaled.

Not classified based on available information. Aspiration hazard

Potential Health Effects

Inhalation Inhalation of aerosols may cause irritation to mucous

membranes.

Thermal decomposition can lead to release of irritating gases

and vapors.

Harmful if inhaled.

Skin May cause skin irritation.

Eyes Causes serious eye irritation.

Ingestion : May be harmful if swallowed.

Aggravated Medical

: None known.

Condition

Symptoms of Overexposure

: The symptoms and effects are as expected from the hazards as shown in section 2. No specific product related symptoms

are known.

Toxicology Assessment

Further information : No further data available.

Test result

Acute oral toxicity : Acute toxicity estimate: 4,506 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate : 3.8 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Skin irritation : Result: No skin irritation

Method: OECD Test Guideline 439

Eye irritation : Result: Eye irritation

Target Organ Systemic

Toxicant - Repeated

exposure

Routes of exposure: Inhalation Target Organs: Respiratory Tract

The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

Carcinogenicity:

IARC : Group 2B: Possibly carcinogenic to humans

Nitrilotriacetic acid, trisodium salt 5064-31-3

Group 2B: Possibly carcinogenic to humans

OSHA : No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP : No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated

carcinogen by NTP.

TOXICOLOGY DATA FOR THE INGREDIENTS:

Toxicology Assessment

Component: Sodium hydroxide

CMR effects : Mutagenicity: In vivo tests did not show mutagenic effects,

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

Component: Nitrilotriacetic acid, trisodium salt

CMR effects : Carcinogenicity: Limited evidence of a carcinogenic effect.

Test result

Component: Ethylenediaminetetraacetic acid, tetrasodium salt

Acute oral toxicity : LD50: 1,780 mg/kg

Species: Rat

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 1 - 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: OECD Test Guideline 412

Read-across (Analogy)

Skin irritation : Species: Rabbit

Result: No skin irritation

Method: OECD Test Guideline 404

Read-across (Analogy)

Eye irritation : Species: Rabbit

Result: Eye irritation

Method: OECD Test Guideline 405

Sensitization : Maximization Test

Species: Guinea pig

Result: Does not cause skin sensitization. Method: OECD Test Guideline 406

Read-across (Analogy)

Germ cell mutagenicity

Genotoxicity in vitro : Result: negative

Method: Mutagenicity (Salmonella typhimurium - reverse

mutation assay) Read-across (Analogy)

Genotoxicity in vivo : Chromosome aberration test in vivo

Species: Mouse

Method: OECD Test Guideline 474

Result: negative Read-across (Analogy)

Carcinogenicity : Species: Rat

Application Route: Ingestion

Result: Not classified due to data which are conclusive

although insufficient for classification.

Read-across (Analogy)

Reproductive toxicity : Species: Rat

NOAEL:

F1: > 250 mg/kg,

Read-across (Analogy), Information taken from reference

works and the literature.

Target Organ Systemic Toxicant - Single exposure Based on available data, the classification criteria are not met.

Target Organ Systemic

Toxicant - Repeated

: Routes of exposure: Inhalation Target Organs: Respiratory Tract

exposure

The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

Aspiration toxicity : Not classified due to data which are conclusive although

insufficient for classification.

Component: Sodium hydroxide

Skin irritation : Result: Causes severe burns.

Eye irritation : Result: Risk of serious damage to eyes.

Sensitization : Result: Does not cause skin sensitization.

Germ cell mutagenicity

Genotoxicity in vitro : In vitro tests did not show mutagenic effects

Component: Nitrilotriacetic acid, trisodium salt

Acute oral toxicity : LD50: 1,740 mg/kg

Species: Rat

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute

inhalation toxicity

Information taken from reference works and the literature.

Skin irritation : Species: Rabbit

Result: No skin irritation

Eye irritation : Result: Irritating to eyes.

Sensitization : Buehler Test

Species: Guinea pig

Result: Does not cause skin sensitization. Method: OECD Test Guideline 406

Print Date 03/01/2021 Revision Date 02/11/2021 Version 2 US / Z8

Germ cell mutagenicity

Genotoxicity in vitro : Chromosome aberration test in vitro

Result: negative

Method: OECD Test Guideline 473

Information taken from reference works and the literature.

Chromosome aberration test in vivo Genotoxicity in vivo

> Species: Mouse Result: negative

Information taken from reference works and the literature.

Reproductive toxicity : Species: Rat

NOAEL: > 450 mg/kg,

Method: OECD Test Guideline 416

Information taken from reference works and the literature.

Target Organ Systemic Toxicant - Single exposure

Not classified due to data which are conclusive although

insufficient for classification.

Target Organ Systemic

Toxicant - Repeated

exposure

: Not classified due to data which are conclusive although

insufficient for classification.

Aspiration toxicity : Not classified due to data which are conclusive although

insufficient for classification.

12. ECOLOGICAL INFORMATION

PRODUCT INFORMATION:

Ecotoxicology Assessment

Additional ecological

information

: None known.

Test result

Elimination information (persistence and degradability)

Bioaccumulation : Not expected considering the low log Pow value.

Mobility : Adsorption to the solid soil particles is not expected.

Biodegradability : Not readily biodegradable, but will degrade after a longer

period.

Further information on ecology

Biochemical Oxygen

Demand (BOD)

: No data available

Hazardous to the ozone layer

Regulation : 40 CFR Protection of Environment; Part 82 Protection of

Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks : This product neither contains, nor was manufactured with a

Class I or Class II ODS as defined by the U.S. Clean Air Act

Section 602 (40 CFR 82, Subpt. A, App.A + B).

COMPONENTS:

Ecotoxicology Assessment

Component: Sodium hydroxide

Long-term (chronic) aquatic

hazard

: This product has no known ecotoxicological effects.

Test result

Component: Ethylenediaminetetraacetic acid, tetrasodium salt

Ecotoxicity effects

Toxicity to fish : LC50: > 100 mg/l

Exposure time: 96 h Species: Fish

Toxicity to daphnia and other

aquatic invertebrates

: EC50: 140 mg/l Exposure time: 48 h

Species: Daphnia magna (Water flea)

Method: DIN 38412 Read-across (Analogy)

Toxicity to algae : EC50: > 100 mg/l

Exposure time: 72 h Species: algae

Toxicity to fish (Chronic

toxicity)

: NOEC: > 25.7 mg/l

Exposure time: 35 d

Species: Danio rerio (zebra fish) Test Type: flow-through test Method: OECD Test Guideline 210

Read-across (Analogy)

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity)

: NOEC: > 25 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Read-across (Analogy)

Elimination information (persistence and degradability)

Bioaccumulation : Not expected considering the low log Pow value.

Mobility : Adsorption to the solid soil particles is not expected.

Biodegradability : Not readily biodegradable, but will degrade after a longer

period.

Further information on ecology

Biochemical Oxygen : No data available

Demand (BOD)

Component: Sodium hydroxide

Ecotoxicity effects

Toxicity to daphnia and other : EC50: 40.4 mg/l aquatic invertebrates : Exposure time: 48 h

Species: Ceriodaphnia (water flea)

Test Type: Immobilization

Elimination information (persistence and degradability)

Bioaccumulation : Does not bioaccumulate.

Mobility : Can be leached out from soil.

Distribution among : Remarks: Transport to air is not expected.

environmental compartments

Biodegradability : Result: Not applicable

inorganic

Further information on ecology

Biochemical Oxygen : Not applicable

Demand (BOD)

Component: Nitrilotriacetic acid, trisodium salt

Ecotoxicity effects

Toxicity to fish : LC50: > 100 mg/l

Exposure time: 96 h

Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other

aquatic invertebrates

: EC50: > 100 mg/l

Exposure time: 96 h

Species: Gammarus fasciatus (freshwater shrimp)

Toxicity to algae : EC50: > 100 mg/l

Exposure time: 72 h

Species: Desmodesmus subspicatus (green algae)

Method: OECD Test Guideline 201

Toxicity to fish (Chronic : NOEC: > 54 mg/l

toxicity) Exposure time: 30 d

Species: Pimephales promelas (fathead minnow)

Information taken from reference works and the literature.

Toxicity to daphnia and other : NOEC: 9.3 mg/l aquatic invertebrates : Exposure time: 147 d

(Chronic toxicity) Species: Gammarus fasciatus (freshwater shrimp)

Elimination information (persistence and degradability)

Bioaccumulation : Bioaccumulation is unlikely.

Mobility : Adsorption to the solid soil particles is not expected.

Biodegradability : Result: Readily biodegradable.

Further information on ecology

Biochemical Oxygen

Demand (BOD)

: No data available

13. DISPOSAL CONSIDERATIONS

Product : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Hazardous waste

Dispose of contents/container in accordance with local

regulation.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No. : UN 3267

Proper shipping name : Corrosive liquid, basic, organic, n.o.s.

(Ethylenediaminetetraacetic acid, tetrasodium salt)

Class : 8
Packing group : III
Labels : 8
Packing instruction (cargo : 856

aircraft)

Packing instruction : 852

(passenger aircraft)

Packing instruction (LQ) : Y841 Environmentally hazardous : no

IMDG-Code

UN number : UN 3267

Proper shipping name : CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.

(Ethylenediaminetetraacetic acid, tetrasodium salt)

Class : 8
Packing group : III
Labels : 8
EmS Code : F-A, S-B
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

15. REGULATORY INFORMATION

Notification status

DSL : YES. All components of this product are on the Canadian DSL AICS : YES. On the inventory, or in compliance with the inventory

NZIoC : NO. Not in compliance with the inventory

ENCS : YES. On the inventory, or in compliance with the inventory ISHL : YES. On the inventory, or in compliance with the inventory KECI : YES. On the inventory, or in compliance with the inventory PICCS : YES. On the inventory, or in compliance with the inventory IECSC : YES. On the inventory, or in compliance with the inventory TCSI : YES. On the inventory, or in compliance with the inventory TSCA : YES. All substances listed as active on the TSCA inventory

For explanation of abbreviations, see section 16.

TSCA list

TSCA 5(a)(2) : No substances are subject to a Significant New Use Rule.
TSCA 12(b) : No substances are subject to TSCA 12(b) export notification

requirements.

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ
		(lbs)
Sodium hydroxide	1310-73-2	1000

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Corrosive to Metals

Acute toxicity (any route of exposure) Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals subject to disclosure and listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Sodium hydroxide 1310-73-2 >= 1 - < 5 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Sodium hydroxide 1310-73-2 >= 1 - < 5 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

Sodium hydroxide	1310-73-2
Nitrilotriacetic acid. trisodium salt	5064-31-3

Pennsylvania Right To Know

Ethylenediaminetetraacetic acid, tetrasodium salt	64-02-8
Sodium hydroxide	1310-73-2

Maine Chemicals of High Concern

This product does not contain any chemicals that are listed as Maine Chemicals of High Concern.

New Jersey Right To Know

Ethylenediaminetetraacetic acid, tetrasodium salt	64-02-8
Sodium hydroxide	1310-73-2

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

16. OTHER INFORMATION

Full text of H-Statements

H290 :	May be corrosive to metals.
H302 :	Harmful if swallowed.
H314 :	Causes severe skin burns and eye damage.
H318 :	Causes serious eye damage.
H319 :	Causes serious eye irritation.
H332 :	Harmful if inhaled.

H351 : Suspected of causing cancer.

H373 : May cause damage to organs through prolonged or repeated

exposure if inhaled.

H402 : Harmful to aquatic life.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CAL PEL : California permissible exposure limits for chemical

contaminants (Title 8, Article 107)

NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA PO : USA. OSHA - TABLE Z-1 Limits for Air Contaminants -

1910.1000

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1

Limits for Air Contaminants

ACGIH / C : Ceiling limit

ACGIH / CEIL : Threshold Limit Value - Ceiling (TLV-C)

CAL PEL / C : Ceiling

NIOSH REL / C : Ceiling value not be exceeded at any time.

OSHA P0 / C : Ceiling limit

OSHA Z-1 / TWA : 8-hour time weighted average

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx -Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG -International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 -Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals: SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of

Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Further information


HMIS Classification : Health Hazard: 2

Chronic Health Hazard: *

Flammability: 0 Physical hazards: 0

NFPA Classification : Health Hazard: 2

Fire Hazard: 0 Reactivity Hazard: 0



Notification status explanation

REACH 1907/2006 (EU)

DSL Canadian Domestic Substances List (DSL)

AICS Australia Inventory of Chemical Substances (AICS)
NZIOC New Zealand. Inventory of Chemical Substances

ENCS Japan. ENCS - Existing and New Chemical Substances Inventory

ISHL Japan. ISHL - Inventory of Chemical Substances KECI Korea. Korean Existing Chemicals Inventory (KECI)

PICCS Philippines Inventory of Chemicals and Chemical Substances

(PICCS)

IECSC China. Inventory of Existing Chemical Substances in China (IECSC)

TCSI Taiwan Chemical Substance Inventory (TCSI)

TSCA United States TSCA Inventory

Further information

Revision Date 02/11/2021

The information in this safety data sheet should be provided to all who will use, handle, store, transport or otherwise be exposed to this product. The user must determine the appropriate measures that need to be implemented for the use and handling of this product in the c ontext of the user's operations and use of this product. The information contained herein supersedes all previously issued bulletins on the subject matter covered. If the date on this document is more than three years old, call to make certain that this sheet is current. No warranty is made as to the product's merchantability or fitness for any particular purpose, or that any suggested use will not infringe any patent. User must determine for himself, by preliminary tests or otherwise, the suitability of this product for his purposes, including mixing with other products. Nothing contained herein shall be construed as granting or extending any license under any patent.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is

Dissolvine E-39

Version 2 Revision Date 02/11/2021 Print Date 03/01/2021 US / Z8

not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.